#### DOCTORS TAMIMI, COLLIER, BIGORNIA, GLAZIER, MIRCHANDANI, MENADIER The Endoscopy Center of Ocean County 477 Lakehurst Road Toms River, New Jersey 08755 Phone 732-349-4422 Fax 732-349-8126

#### COLONOSCOPY PREPARATION INSTRUCTIONS 2B SPLIT CITRATE / MIRALAX / DULCOLAX PREP

It is very important for you to **read and follow these instructions**. Failure to do so may result in cancellation of your procedure. Please keep them in a place where you can find them to **review again**, ALONG WITH THE GENERAL COLONOSCOPY INSTRUCTIONS, **one week prior to your test date**.

**HELPFUL TIP:** Avoid high fiber foods (nuts, seeds, whole grains, raw fruit and vegetables, beans, corn, chicken skin) **SEVEN DAYS PRIOR TO PROCEDURE FOLLOW A LOW RESIDUE DIET;** <u>NO</u> marijuana the day before and day of procedure; <u>NO</u> tobacco use the day of procedure.

TEST DATE:\_\_\_\_\_

ARRIVAL TIME: \_\_\_\_\_

(in any pharmacy, or grocery store in laxative aisle.)

- 1. One 238 gram bottle of Miralax (8.3 oz.)
- 2. Two Dulcolax Tablets (Laxative, NOT Stool Softener)
- 3. One 10oz bottle of Citrate of Magnesia
- 4. 64 oz. of any clear liquid (clear juice, fruit drinks, Gatorade, clear soda) (nothing red in color)

### HOW TO TAKE THE PREP:

- 1. ON THE DAY BEFORE THE TEST \_\_\_\_\_ Have a low residue breakfast (such as, eggs and WHITE toast)
- 2. Beginning at 12 Noon Follow a Clear Liquid Diet (see sample diet)
- 3. 3 PM Drink the 10oz bottle of Citrate of Magnesia (can be mix with clear liquid)
- 4. 5 PM Take 2 Dulcolax (Bisacodyl) tablets, swallow whole with a full 8oz glass of water
- 5. 6 PM dissolve the entire bottle of Miralax in 64 oz. of any clear liquid except for water. Drink 8 oz. of the solution every 15-30 minutes until the solution is HALF finished. Refrigerate the remainder of the solution

#### 6. 5am day of the procedure

Drink 6-8 ounces of the remaining MIRALAX solution every 15-20 minutes until completely consumed. You must finish this no later than 4 hours prior to your arrival time.

7. You may continue your Clear liquid Diet during the evening/night and up to 4 hour prior to your arrival time

### COLONOSCOPY PREPARATION INSTRUCTIONS 2B SPLIT CITRATE / MIRALAX / DULCOLAX PREP

# **Clear Liquid Diet for Colonoscopy Prep Day**

## HELPFUL TIP: Avoid high fiber foods (nuts, seeds, whole grains, raw fruit and vegetables, beans, corn, chicken skin) SEVEN DAYS PRIOR TO PROCEDURE FOLLOW A LOW RESIDUE DIET; <u>NO</u> marijuana the day before and day of procedure; <u>NO</u> tobacco use the day of procedure.

<u>No Red Colored liquids, ice or Jell-O, they may look like blood during the procedure. You MAY NOT have milk or creamer, or any alcoholic beverages on a clear liquid diet</u>

Allowable Choices

- Black coffee (no milk or Creamer)
- Tea hot or cold (no milk or creamer)
- Sports Drinks (Gatorade, PowerAde, Pedialyte)
- Clear Soda (sprite, 7up, seltzer, ginger ale)
- Lemonade
- Broth or bouillon (chicken, beef, vegetable)
- Flavored Jell-O (no red)
- Lemon Ice or Italian Ice (no red)
- Clear Juices any flavor (apple, white cranberry or grape etc.)
- Crystal Light

# STOP all clear liquids 4 hours before your scheduled arrival time